

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A resin composition comprising 100 parts by weight of an ethylene/1-butene random copolymer (a), 10 to 500 parts by weight of at least one styrene block copolymer (b), 10 to 140 parts by weight of an oil (c) relative to 100 parts by weight of the total amount of (a) and (b), and 0 to 500 parts by weight of a polypropylene resin (d) relative to 100 parts by weight of the total amount of (a) and (b),

wherein ethylene/1-butene random copolymer (a) contains 1-butene in an amount of 8 to 25 % by mol, and

the ratio (MFR_{10}/MFR_2) of MFR_{10} measured under a load of 10 kg and MFR_2 (also described as MFR) measured under a load of 2.16 kg, both being measured at 190°C according to ASTM D-1238, and the molecular weight distribution (Mw/Mn) of the ethylene/1-butene random copolymer (a) satisfy the relationship:

$$Mw/Mn + 4.63 \leq MFR_{10}/MFR_2 \leq 14 - 2.9\text{Log}(MFR_2).$$

2. (Original) The resin composition according to claim 1, wherein the ethylene/1-butene random copolymer (a) has a density (measured according to ASTM D-792) of 0.857 to 0.890 g/cm³, an MFR (measured according to ASTM D-1238) of 0.1 to 10 g/10 min, and a molecular weight distribution of 1.5 to 3.0 as measured by GPC, and the at least one styrene block copolymer (b) is selected from the group consisting of copolymers of styrene/butadiene/styrene, styrene/isoprene/styrene, styrene/ethylene-butene/styrene and styrene/ethylene-propylene/styrene.

3. (Previously Presented) A molded body comprising the resin composition according to claim 1.

4. (Previously Presented) An injection molded body comprising the resin composition according to claim 1.

5. (Previously Presented) An extrusion molded body comprising the resin composition according to claim 1.

6. (Previously Presented) A sheet or film comprising the resin composition according to claim 1.

7. (Previously Presented) A fabric or non-woven fabric comprising the resin composition according to claim 1.

8. (Previously Presented) A molded body for automobiles, comprising the resin composition according to claim 1.

9. (Previously Presented) A molded body for domestic appliances, comprising the resin composition according to claim 1.